

## Accessories for DSLR cameras with video function

Canon EOS 5D MKII / III, 550D, 600D, 7D, 1D Mark IV, Nikon D90 and others with similar size – LWS 401- 421S

Canon EOS 5D MKII / III with battery pack, Nikon D3S, D1, D800 and others with similar camera body size – LWS 401- 93



### Chrosziel GmbH

Klausnerring 6

D-85551 Heimstetten b. München / Munich Germany

Phone +49 89 90 10 91 0, Fax +49 89 44 70 86 1

E-Mail [info@chrosziel.de](mailto:info@chrosziel.de), Web [www.chrosziel.com](http://www.chrosziel.com)

Managing Directors: Harm Abrahams, Jürgen Nußbaum

HRB 158740 Amtsgericht München • VAT ID Nr. DE 249425648

For our deliveries and services solely our General Terms of Trade apply. 05/2012

### Product catalogue DSLR accessories 05/2012

#### LWS - Lightweight support

Follow focus systems – Digital Video (DV):  
DV StudioRig / DV StudioRig plus  
DV StudioRig Photo / DV StudioRig plus Photo

#### MatteBox

#### Fluid Zoom Drive

MonitorPack, Lens Support Brackets  
Carrying Handle, Hand Grips

## Accessories for DSLR cameras with video function

Canon EOS 5D MKII / III, 550D, 600D, 7D, 1D Mark IV, Nikon D90 and others with similar size – LWS 401- 421S

Canon EOS 5D MKII / III with battery pack, Nikon D3S, D1, D800 and others with similar camera body size – LWS 401- 93



### Lightweight support



#### LWS Lightweight supports:

They consist of a base plate and a construction which brings your camera to the normative height, a rod clamping and the actual support rods. These aluminium rods have a Ø of 15mm.

With the suitable LWS for your camera various accessories are compatible: E.g. follow focus DV StudioRig, MatteBox, lens support bracket and many others.

The lightweight support **401-421S** comes with a twist stopper (see picture on the right).

LWS **401-93** for Canon EOS 1D sizes holds the camera in place by means of the rod clamping (see picture above).

For tripod use a 1/4" and 3/8" thread on the base plate is provided.



#### Please note!

**For Canon EOS C300/500 use LWS 401-94/HD**

#### Lightweight support, choose according to your camera:

**401-421S** LWS Lightweight support with twist stopper for DSLR e.g. Canon EOS 5D MKIII, Canon 550D, Canon EOS 7D Nikon D90 with rods Ø 15mm, length 205mm 315.00 €

**401-93** LWS Lightweight support for DSLR camera with big size housing, e.g. Canon 1D MK IV, Canon 5D MK III with battery pack, Nikon D800 with rods Ø 15mm, length 100mm 299.00€

#### Accessories for your lightweight support:

**401-01VT** VariTube® telescopic rods (1 pair), length 150-230mm 98.00 €

**401-14** Extension rods 50mm (1 pair) 30.00 €

**401-83** Extension rods 100mm (1 pair) 30.00 €

**401-83-190** Extension rods 190mm (1 pair) 52.00 €



#### 401-421S

Lightweight support DSLR (see above), incl. twist stopper for a.m. cameras and others with similar camera body size



#### 401-93

Lightweight support DSLR cameras with big size housing, e.g. Canon 1D MK IV, Nikon D3, D1, D800 or Canon 5D MK III with battery pack



#### 401-83 extension rods, 100 mm.

The standard rods of our lightweight supports have a screw-in thread, for optional use extension rods.



#### 401-01VT150 / 401-01VT200

VariTube telescopic rods are adjustable in length from 150-230 / 200-280 mm. e.g. for 401-93 LWS

## Accessories for DSLR cameras with video function

Canon EOS 5D MKII / III, 550D, 600D, 7D, 1D Mark IV, Nikon D90 and others with similar size – LWS 401- 421S

Canon EOS 5D MKII / III with battery pack, Nikon D3S, D1, D800 and others with similar camera body size – LWS 401- 93



**Chrosziel**  
...for optical excellence

### Follow focus system - StudioRig



#### Follow focus system:

<b>206-05S-12</b>	DV StudioRig follow focus system, complete with hand wheel, scale, focus drive mod 0.8	765.00 €
<b>206-05SP</b>	DV StudioRig Photo with reverse gear, complete with hand wheel, scale, focus drive mod 0.8	822.00 €
<b>206-60S-12</b>	DV StudioRig <b>plus</b> , follow focus system, complete with VariLock 2 hand wheel, scale, focus drive 0.8	1,236.00 €
<b>206-65S</b>	DV StudioRig <b>plus</b> Photo, with reverse gear, complete with VariLock 2 hand wheel, scale, focus drive 0.8	1,295.00 €

#### Gear ring focus, please choose according to your lens (all mod. 0.8):

<b>201-19</b>	Gear ring fix for Canon EF 24-105mm Ø 82mm	113.00 €
<b>206-753</b>	Gear ring splitted for Canon EF-S 18-135mm Ø 75.3mm	133.00 €
<b>206-720</b>	Gear ring splitted for Canon EF 15-85mm Ø 72.0mm	133.00 €
<b>206-836</b>	Gear ring splitted for Canon EF 24-70mm Ø 83.6 mm	133.00 €
<b>206-890</b>	Gear ring splitted for Canon EF 70-200mm Ø 89.0 mm	133.00 €
<b>206-30</b>	Gear ring flexible adjustable, for photo lenses Ø 60-120mm, rotation angle approx. 270-320°	109.00 €

#### Follow focus system:

Helps you to pull focus precisely and to mark your focus range on the scale of the hand wheel. The **VariLock 2** feature allows you to set two focal planes individually, to ease rehearsals and to manually control auto focus lenses.

The mentioned DV StudioRigs are equipped with 15mm rod clamping, hand wheel with scale and focus drive mod 0.8.

To mount your follow focus system, use a rod system with 15mm. Please choose the suitable LWS lightweight support for your camera.



**206-05SP**

206-05SP & 206-65S Studi Rigs are equipped with a reverse gear. Some lenses rotate against the standard rotating direction (standard e.g. is Canon EF) therefore a reverse gear is necessary to come back to the usual rotating direction.



**206-05S-12**



The **VariLock 2** function gives you the opportunity to set two variable focus points – you can work even without an additional operator.



**206-753**  
Gear ring



**206-30**  
Gear ring, flexible for lens diameters 60 – 120 mm.

Recommended retail prices in Euro without tax, ex works, subject to change without further notice, issue 05/2012

Chrosziel GmbH, Klausnerring 6, D - 85551 Heimstetten, Tel. +49 89 901 091 0, Fax +49 89 447 086 1, [info@chrosziel.de](mailto:info@chrosziel.de)

## Accessories for DSLR cameras with video function

Canon EOS 5D MKII / III, 550D, 600D, 7D, 1D Mark IV, Nikon D90 and others with similar size – LWS 401- 421S

Canon EOS 5D MKII / III with battery pack, Nikon D3S, D1, D800 and others with similar camera body size – LWS 401- 93

### Follow focus systems - StudioRig Kits



*Picture shows Canon EOS 1D:  
mounted with individual components  
consisting of:*

*206-05S-12 DV StudioRig  
with focus drive mod 0.8,  
206-30 FlexiGear ring,  
401-93 Lightweight support.*

*Please note!*

*For Canon EOS C300/500 use LWS 401-94/HD*

*Furthermore we offer Kits especially compsed according to your camera and lens:*

		Rec. retail price
<b>206-EOSAKit</b>	Follow focus kit for Canon 5D with <u>Canon EF 24-105mm</u> , consisting of: 206-05S DV StudioRig follow focus system, cpl. with hand wheel & scale 206-12 Focus drive for gear rings, mod. 0.8, Ø 36.8, 44 teeth 201-19 Gear ring fix, for Canon EF 24-105mm 1:4 IS UMS Ø 82mm 401-421S LWS Lightweight support, incl. twist stopper	1,193.00 €
<b>206-EOSBkit</b>	Follow focus kit for Canon 7D with <u>Canon EF-S 18-135mm</u> , consisting of: 206-05S DV StudioRig follow focus system, cpl. with handwheel & scale 206-12 Focus drive for gear rings, mod. 0.8, Ø 36.8, 44 teeth 206-753 Gear ring fix, for Canon EF-S 18-135mm, Ø 75.3mm 401-421S LWS Lightweight support, incl. twist stopper	1,213.00 €
<b>206-DSLR1kit</b>	Follow focus basic-kit for DSLR cameras, consisting of: 206-05S DV StudioRig, complete with scale 206-12 Focus drive for gear rings, mod. 0.8, Ø 36.8, 44 teeth 206-30 Gear ring flexible, adjustable from Ø 60 - 120mm 401-421S LWS Lightweight support, incl. twist stopper	1,188.00 €
<b>206-DSLR2kit</b>	StudioRig <b>plus</b> kit for DSLR cameras and <b>autofocus lenses</b> , consisting of: 206-60S DV StudioRig <b>plus</b> , complete <b>VariLock 2</b> hand wheel and scale, 206-12 Focus drive for gear rings, mod. 0.8, Ø 36.8, 44 teeth 206-30 Gear ring flexible, adjustable from Ø 60 - 120mm (e.g. for Nikon D90 lenses) 401-421S LWS Lightweight support, incl. twist stopper	1,660.00 €

*If you use other lenses or other combinations, please create your own package using our components.*

*In conjunction with Schneider-Kreuznach Cine-Xenar lenses, we offer further MatteBox and StudioRig Kits for Canon EOS 7D and Canon EOS 7D with PL mount.*

*Please have a look on the infoPages for the Cine-Xenar lenses and accessories on our website.*



## Accessories for DSLR cameras with video function

Canon EOS 5D MKII / III, 550D, 600D, 7D, 1D Mark IV, Nikon D90 and others with similar size – LWS 401- 421S

Canon EOS 5D MKII / III with battery pack, Nikon D3S, D1, D800 and others with similar camera body size – LWS 401- 93



**Chrosziel**  
...for optical excellence

### MatteBox, SunShade – for use of filters and for light prevention



*MatteBox 450-R20 with 450-20 Flexi-Insertring, mounted on 401-93 lightweight support on Canon EOS 1D camera.*

*MatteBoxen and SunShades allow the use of glass filters. They improve picture quality because they prevent from stray light. Lenses with tube or rotating front element can only be used with restrictions.*

#### *MatteBox to mount on 15mm lightweight support rods:*

		Rec. retail price
<b>450-R20</b>	MatteBox 450R2 with double filterstage, 16:9 mask, French Flag (450-11), 2 rotating filterholders 4x4 (402-12) and multiformat-filterholder 4x4/4x5.650 (410-04), pivot mechanism (for use of additional side wings), rod clamping for LWS Ø 15mm, end plate with thread Ø110mm	972.00 €
<b>450-R10</b>	MatteBox 450R1, incl. French Flag 450-12, 1 rotating filterholder multiformat 4x4/4x5.650 (410-04), rod clamping for Ø 15mm rods, end plate Ø110mm	604.00 €
<b>450-20</b>	Flexi-Insertring with Ø 110mm thread for use on lenses with external diameter from Ø 75mm to Ø 98mm	67.00 €
<b>450-22</b>	Flexi-Insertring with Ø 110mm thread for use on lenses with external diameter from 50 mm to 85 mm	67.00 €
<b>410-39P</b>	Insertring Ø 110:85 mm (with 22mm tube) for lenses with focus fore stroke	58.00 €
<b>450-10</b>	Set of side wings (left and right) for MB 450-R20	282.00 €
<b>450-10PM</b>	Set of side wings (left and right), incl. pivot mechanism for MB 450-R10	328.00 €
<i>SunShade for standard lens on Canon EOS 7D - Canon EF-S 18-135mm:</i>		
<b>S1001</b>	SunShade 3x3" incl. 2 filterholders 3x3", 1x rotating 160° and 1x fix, clamp adaptor Ø 85mm	380.00 €
<b>S1001-67</b>	Adaptor Ø 85:M 67mm for standard lens Canon EF-S 18-135mm	29.00 €



*SunShade S1001 mounted on Canon EOS 7D with Canon EF-S 18-135mm*



**450-R10**  
MatteBox with 1 filterstage

*To mount your MatteBox system, use a rod system with 15mm. Please choose the suitable lightweight support for your camera.*



**410-39P**  
Insertring with tube



**450-20 / 450-22**  
Flexi-Insert rings, accept various lens diameters



Recommended retail prices in Euro without tax, ex works, subject to change without further notice, issue 05/2012

Chrosziel GmbH, Klausnerring 6, D - 85551 Heimstetten, Tel. +49 89 901 091 0, Fax +49 89 447 086 1, [info@chrosziel.de](mailto:info@chrosziel.de)

## Accessories for DSLR cameras with video function

Canon EOS 5D MKII / III, 550D, 600D, 7D, 1D Mark IV, Nikon D90 and others with similar size – LWS 401- 421S  
 Canon EOS 5D MKII / III with battery pack, Nikon D3S, D1, D800 and others with similar camera body size – LWS 401- 93



Rec. retail price

### Fluid zoom drive



#### Fluid zoom drive:

<b>102-13</b>	Fluid zoom drive mod. 0.8, incl. 2 zoom sticks (short and long)	771.00 €
<b>EU15</b>	Extention unit Ø 15:15 mm, with Ø 15 mm rod	75.00 €

#### Gear rings Zoom, please choose according to your lens (all mod 0.8):

<b>206-740</b>	Gear ring fix for Zoom on Canon EF-S 18-135 mm, Ø 74.0 mm	133.00 €
<b>206-785</b>	Gear ring splitted for Zoom on Canon EF 24-105 mm 1:4.0 ISUMS, Ø 78, 5mm	133.00 €
<b>206-836</b>	Gear ring splitted for Zoom on Canon EF 24-70 mm Ø 83.6 mm	133.00 €
<b>206-850</b>	Gear ring splitted for Zoom on Canon EF 70-200 mm Ø 85.0 mm	133.00 €
<b>206-30</b>	Gear ring flexible, adjustable, for photo lenses Ø 60-120 mm, rotation angle approx. 270-320°	109.00 €

#### Fluid zoom drive

allows smooth zoom control. The integrated damping mechanism adjusts variably and adapts to the zoom behaviour of each lens.

Even extremely smooth-running zoom gears can be operated smoothly and with high precision.

To mount your Fluid zoom drive, use a rod system with 15 mm.  
 Please choose the suitable lightweight support for your camera.



Fluid Zoom Drive mounted on lightweight support, incl. further Chrosziel accessories on Canon EOS 5D MK II



**206-785**  
Gear ring



**206-30**  
Gear ring, flexible



#### Recommendation - EU15:

The bracket increases the mounting radius of your Fluid zoom drive to Ø 15 mm LWS rods.

Required for short zoom lenses and with further combination accessories like follow focus etc.

Recommended retail prices in Euro without tax, ex works, subject to change without further notice, issue 05/2012

Chrosziel GmbH, Klausnerring 6, D - 85551 Heimstetten, Tel. +49 89 901 091 0, Fax +49 89 447 086 1, [info@chrosziel.de](mailto:info@chrosziel.de)

## Accessories for DSLR cameras with video function

Canon EOS 5D MKII / III, 550D, 600D, 7D, 1D Mark IV, Nikon D90 and others with similar size – LWS 401- 421S

Canon EOS 5D MKII / III with battery pack, Nikon D3S, D1, D800 and others with similar camera body size – LWS 401- 93

### MonitorPack, lens support bracket



*MonitorPack 550-50 monitor mounted with articulated arm 550-MA on light weight support, with further accessories.*



*Lens support bracket 401-33 mounted on 15 mm lightweight support rods to relieve the lens mount of your camera.*

#### MonitorPack:

**550-50** MonitorPack DSLR consisting of:

- 5" Monitor with HDMI input, battery compartment for 4 double A batteries
- HDMI cable-adaptor 0,5 m
- articulated arm (550-MA) with 1/4" threads

**550-MA** Articulated arm with central clamp and two 1/4" threads  
(already included with 550-50)

Rec. retail price

946.00 €

138.00 €

#### Lens support bracket :

**401-33** Lens support bracket Universal Photo, for lenses Ø 50 to 120 mm

224.00 €

**401-34** Lens support bracket Tele, for Tele lenses with 1/4" tripod-connection, adjustable between 4 to 11 mm above support rods

322.00 €

*To mount your lens support bracket, use a rod system with 15 mm. Please choose the suitable lightweight support for your camera.*



**401-33** (on LWS 401-421S)  
Lens support with reverse lock nut screw. With the 5 mm pivot of the screw the tripod connection of tele lens can be used to secure and support the lens.



**401-34**  
Lens support with 1/4" connection



**550-50**  
MonitorPack delivery range

Recommended retail prices in Euro without tax, ex works, subject to change without further notice, issue 05/2012

Chrosziel GmbH, Klausnerring 6, D - 85551 Heimstetten, Tel. +49 89 901 091 0, Fax +49 89 447 086 1, [info@chrosziel.de](mailto:info@chrosziel.de)

## Accessories for DSLR cameras with video function

Canon EOS 5D MKII / III, 550D, 600D, 7D, 1D Mark IV, Nikon D90 and others with similar size – LWS 401- 421S

Canon EOS 5D MKII / III with battery pack, Nikon D3S, D1, D800 and others with similar camera body size – LWS 401- 93



**Chrosziel**  
...for optical excellence

### Shoulder support, carrying handle, handle bars



The shoulder support **3025 DV-Balancer®** very easily positions the camera and the hands remain free.



Use the **3025 DV-Balancer®** for handheld shots from the shoulder. Fits directly on the LWS or mounts with 1/4" screw.

#### Shoulder support, carrying handle, handle bars

		Rec. retail price
<b>3025</b>	DV-Balancer® shoulder support, classic version with flat belly rest for cameras up to 4 kg.	431.00 €
<b>3035</b>	Shoulder pad proVideo, straight connection to LWS	179.00 €
<b>403-10</b>	Handle bar proVideo to mount on 15 mm LWS rods, grip width approx. 180 mm	89.00 €
<b>403-20</b>	Handle bar proVideo plus to mount on 15 mm LWS rods, grip width approx. 270 mm	89.00 €
<b>3300</b>	Carrying handle to use with LWS light weight support	144.00 €
<b>3310</b>	Accessory clamp for DSLR handle 3300 and Ø 15 mm rods, with threads 3/8" and heli coil 1/4"	17.00 €

*For use of these systems you need a 15 mm lightweight support. Please choose the suitable lightweight support for your camera.*

#### 3035

proVideo shoulder pad is the lowest price version, allows the guiding of your camera while supported on your shoulder.



Shoulder pad proVideo **3035** mounted on Chrosziel LWS lightweight support with proVideo handle bar **403-10**.



#### 403-10 and 403-20

proVideo handle bar is an additional carrying version to mount on 15 mm LWS lightweight support rods.



**403-20**  
with enlarged grip width

**403-10**

**3310** accessory clamp

#### 3300

Use your DSLR camera as portable video camera with the Chrosziel hand grip (3300). For mounting on Chrosziel lightweight supports (LWS 401-4xx). Tool-free installation, also useable with tripod plate mounted.



Recommended retail prices in Euro without tax, ex works, subject to change without further notice, issue 05/2012

Chrosziel GmbH, Klausnerring 6, D - 85551 Heimstetten, Tel. +49 89 901 091 0, Fax +49 89 447 086 1, [info@chrosziel.de](mailto:info@chrosziel.de)