

Overview – Light prevention clamping rings for the SunShade



Typical **Adapter ring** with screw thread.



Typical **Step-down ring**.

Step-down rings for connection to the clamp adapter with Ø 104 mm f. SunShade: SD 412 (412-02F), SD C2 (CF-SS/ST), SD 411, SD 440 (440-02/03)	Article no.
Adapter ring Ø 104:M 72mm – screw thread on lens	411-14
Adapter ring Ø 104:M 72mm – special version, e.g. for Sony HVR-S270	411-14L
Adapter ring Ø 104:M 77mm – screw thread on lens	411-09
Adapter ring Ø 104:M 82mm – screw thread on lens	411-13
Adapter ring Ø 104:M 82mm – for screw thread on lens for Fujinon 2/3"	411-23F
Adapter ring Ø 104:M 62mm	411-15
Step-down ring Ø 104:75mm	411-32
Step-down ring Ø 104:80 mm	411-21
Step-down ring Ø 104:83 mm	411-22
Step-down ring Ø 104:85 mm	411-23
Possible use of the adapter rings S1001 Ø 85:M xx mm	
Step-down ring Ø 104:86 mm	411-24
Step-down ring Ø 104:87 mm	411-25
Step-down ring Ø 104:90 mm	411-26
Step-down ring Ø 104:92 mm	411-16
Step-down ring Ø 104:94 mm	411-27
Step-down ring Ø 104:95 mm – for lens with moulded wide-angle front element	411-28F
Step-down ring Ø 104:95 mm	411-28
Step-down ring Ø 104:95 mm – CWAH-1FC with CF-SS/ST for use with 1 filter holder	411-33
Step-down ring Ø 104:95 mm – 411-50/-53 for 1 FH use	411-31
Step-down ring Ø 104:97 mm	411-34
Step-down ring Ø 104:98 mm	411-29
Step-down ring Ø 104:100 mm	411-30
Intermediate ring Ø 104:100mm	420-03
When converting SD to MB for use with the insert rings Ø 100:xx mm	
Intermediate ring Ø 104:105mm	411-12

Overview - Light prevention clamping rings for the SunShade



Flexible **adapter ring 110:109 mm** for Canon wide-angle converter WD-H72



Typical **Step-down ring** (411-43 - 110:85 mm)

Step-down rings for connection to the clamp adapter with Ø 110 mm for SunShade: CMB-R10, CMB-R20, SD 412 (412-02F110)	Article no.
Step-down ring Ø 110:80 mm	411-39
Step-down ring Ø 110:85 mm	411-43
Step-down ring Ø 110:86 mm	411-40
Step-down ring Ø 110:87 mm, Cooke Panchro	411-87
Step-down ring Ø 110:90 mm	411-47
Step-down ring Ø 110:95 mm	411-41
Step-down ring Ø 110:95 mm - for Canon zoom 4.3 x 14	411-41-4.3
Step-down ring Ø 110:95 mm - SD C2 (CWAH-1FC with CF-SS/110) for 1 filter holder use	411-45
Step-down ring Ø 110:96 mm	411-42
Step-down ring Ø 110:98 mm	411-44
Step-down ring Ø 110:98 mm - with recess for wide-angle converter	411-44W
Step-down ring Ø 110:100 mm	411-46
Step-down ring Ø 110:104 mm - for connection of the adapter rings from Ø 104:M xx mm	411-49
Step-down ring Ø 110:105 mm	411-48
Adapter ring Ø 110:109 mm (flexible) - for Canon wide-angle converter WD-H72	455-A109
Adapter ring Ø 110:M 67 mm - screw thread on lens	411-78
Adapter ring Ø 110:M 72 mm - screw thread on lens	411-72
Adapter ring Ø 110:M 77 mm - screw thread on lens	411-77
Adapter ring Ø 110:M 82 mm - screw thread on lens	411-82

Overview - Light prevention clamping rings for the SunShade



Step-down rings 110:104 mm or 130:110
fo rings with the next smaller end diameter.



Flexi-Insertring 130:95 to 125 mm
lens diameter (411-68).



Typical Step-down ring
(411-69 130:125 mm).

Step-down rings for connection to the clamp adapter with Ø 130 mm for SunShade: SD 840, SD 412 (412-02F130), MB 456 Academy, MB 450R2 Super Wide	
Rubber bellows Ø 130:104mm, with 41 mm tube for Cine Xenar	410-104
Step-down ring Ø 130:104mm, with 41 mm tube for Cine Xenar	410-67
Step-down ring Ø 130:105mm	411-64
Step-down ring Ø 130:110mm	411-59B
Intermediate ring Ø 130:110mm - for connection of the step-down rings from Ø 110:xx mm	411-60
Step-down ring Ø 130:110mm thread for use of MatteBox light prevention rings Ø 110:xx mm	411-67
Rubber bellows Ø 130:114mm, with 21 mm tube, e. g. for Sony PL primes	410-114
Rubber bellows Ø 130:114mm, with 7 mm tube, e. g. for Zeiss CP II primes	410-114A
Step-down ring Ø 130:114mm	411-65
Step-down ring Ø 130:117mm	411-56
Step-down ring Ø 130:117,4mm	411-66
Step-down ring Ø 130:120mm	411-55
Step-down ring Ø 130:121mm	411-71
Step-down ring Ø 130:125mm	411-69
Step-down ring Ø 130:128mm	411-57
Step-down ring Ø 130:98mm	411-63
Step-down ring Ø 130:95mm	411-61
Step-down ring Ø 130:oval, for Panasonic AG-3A1	410-65
Flexi-Insert-Ring , clamp- on Ø 130 mm – lens coverage: Ø 95 – 125 mm	411-68
Intermediate ring Ø 130:132mm	411-58

Overview - Light prevention clamping rings for the SunShade



Shape of ring is either conical or cylindrical, according to lens and application.

Step-down rings for connection to the clamp adapter with Ø 85 mm for SunShade SD 1001	Article no.
Adapter ring Ø 85:M 58mm - screw thread on lens, conical	S1001-58A
Adapter ring Ø 85:M 58mm - screw thread on lens - flat	S1001-58SR
Adapter ring Ø 85:M 82mm	S1001-82
Adapter ring Ø 85:M 72mm - specially for Canon XL1 aluminium, screw-in mount	S1001-85
Adapter ring Ø 85:M 72mm - screw thread on lens	S1001-73
Adapter with exterior and interior thread:	
Adapter ring Ø M 58:M 52 mm - 58mm screw thread on lens, Heliopan 452	S1001-HP
Adapter ring Ø M 52:M 58 mm - 52mm screw thread on lens, Heliopan 182	S1001-HP1
Adapter ring Ø M 37:M 58 mm - 37mm screw thread on lens, Heliopan 789	S1001-HP3
Adapter ring Ø M 77:M 82 mm - 77mm screw thread on lens, Heliopan 130	S1001-HP77
Adapter ring Ø M 52:75.5 mm - 52mm - screw thread on lens, For combining with S1001-75	S1001-01S
Step-down ring Ø 85:62.5 mm	S1001-62
Insert ring Ø 85:65mm - for JVC in combination with light-weight support	S1001-65
Step-down ring Ø 85:65 mm	S1001-65S
Step-down ring Ø 85:75.5 mm	S1001-75
Step-down ring Ø 85:75 mm	S1001-75C
Step-down ring Ø 85:79 mm	S1001-79
Step-down ring Ø 85:79.5 mm	S1001-79.5
Step-down ring Ø 85:80 mm	S1001-80